Application No.	Applicant(s)
10/066,124	WELLS ET AL.
Examiner	Art Unit
Phillip A Johnston	2881
S IS (OR REMAINS) CLOSED in -85) or other appropriate commu T RIGHTS . This application is s	th the correspondence address in this application. If not included unication will be mailed in due course. THI subject to withdrawal from issue at the initial
<u>d 12-16-2003</u> .	
y the Examiner.	
nave been received. nave been received in Applicatio	
	a reply complying with the requirements
	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.
person's Patent Drawing Review —— ner's Amendment / Comment or FR 1.84(c)) should be written on the	in the Office action of ne drawings in the front (not the back) of
eposit of BIOLOGICAL MATE NT FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
48) 6. ⊠ Interview Si Paper No./ SB/08), 7. ⊠ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), Mail Date <u>2-20-2004</u> . Amendment/Comment Statement of Reasons for Allowance
	Phillip A Johnston Sippears on the cover sheet wing Sis (OR REMAINS) CLOSED in 1-85) or other appropriate community of the supplication is substituted. Significant of the substituted is substituted in the header according to 37 CF eposit of BIOLOGICAL MATERITY FOR THE DEPOSIT OF BIOLOGICAL MATE

Application/Control Number: 10/066,124

Art Unit: 2881

Page 2

Examiner's Amendment

1. Claims 1-4 are hereby cancelled per interview with Applicant's representative on 2-19-2004.

Examiner's statement of reasons for allowance

The following is an examiner's statement of reasons for allowance:

2. Claims 5 and 8 are allowed because Prior art fails to show an ion guide having a split cylindrical electrode that utilizes the same bias voltage on each electrode half to focus ions along an axis, and a bias of opposite polarity on each electrode half to deflect the ions.

Applying bias voltages to the split cylindrical electrode of an ion guide so as to focus ions along an axis and deflect ions away from an axis is patentable.

3. Claims 6,7, and 9-14 are allowed because they are dependent upon allowed Claims 5 and 8.

Application/Control Number: 10/066,124

Art Unit: 2881

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Conclusion

3. Any inquiry concerning this communication or earlier communications should be directed to Phillip Johnston whose telephone number is (571) 272-2475. The examiner can normally be reached on Monday-Friday from 7:30 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiners supervisor John Lee can be reached at (571) 272-2477. The fax phone numbers are (703) 872-9318 for regular response activity, and (703) 872-9319 for after-final responses. In addition the customer service fax number is (703) 872-9317.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.

PJ

February 20, 2004

SUPPAVISORY PATENT EXAMINER
ACCIONOLOGY OFFICER ACCO